20170220-BOE

BAND UNIFORMS

Sumner County Board of Education, 1500 Airport Road, Gallatin, TN 37066 for Responses to an Invitation to Bid will be received by the Purchasing Supervisor, 20170220-BOE for Band Uniforms until 9:30 a.m. local time Bid responses will be opened at that time, taken under advisement and evaluated. Any specific questions should be directed to Band Director David Earl at 615-452-2621 ext.30652 or <u>david.earl@sumnerschools.org</u> proposals are subject to the Board of Education's conditions and specifications which are available from Vicky Currey, Purchasing Supervisor (615) 451-6569. All bids can be viewed on line at www.sumnerschools.org.

PQVKEG"VQ"TGURQPFGPVU"

"

Responses to an Invitation to Bid will be received by the Purchasing Supervisor in the SUPPORT SERVICE FACILITY CONFERENCE ROOM, Sumner County Board of Education, and 1500 Airport Road Gallatin, TN 37066. They will be received until

DeMoulin Bid Specifications

Invitation to Bid

	<u>v</u>	<u></u>	<u> </u>			TIONI	<u></u>				
14			. 1 ^{6 m¹ - ¹ - 1}	a a a he	2		n n	3	1 2	*	×
- ·		<u>)</u>						- 10			n
NI		° × 5	as a		N		alt -			- / 4	÷л
	· · · · · · · · · · · · · · · · · · ·					,	4	- 1 I		le e Louis	
	3				, -					1	
	·	¹¹¹ æ							0		
				·. ¥	20. 20.	_*			*		
	E: - 0 - 115	- 	- II H	- 29			i∿ ∰	NESI			
ů	sa	Jacob La	Ÿ	X							
									_		
	<u>}</u>		,								
	<u>ــــــــــــــــــــــــــــــــــــ</u>		- ·								
	QUANTITY	, AS DESC	RIBED FU	JRTHER IN	THIS WE	UTTEN	INVITA'	FION. P	LEASE	;	
	RETURN TH	HE bid form	n page(s) w	ith your office		you are	unable to	suomit	a 010	1	
	Martin con .	uns ume. ai	<u>ia ii vou w</u>	rish to remain	<u>n on our li</u>	st of pot	ential sup	pliers, si	mply ser	nd us	

4

9 <u>1</u>

insure that the district can expedite this purchase soon after the award. The sample uniform provided is to be a male size 38 regular.


The human reserves the right to inspect the workmanship of the sample, its inner construction in


particular, and for this purpose will open the lining if necessary.

"Washable" Uniform Specifications

1. GENERAL









13 1- Also had an despend to more or four Cost heat is tailand with sither a two nices or four

piece back to facilitate insertion of contrasting color panels, etc.

C. SHOULDER LOOPS



T



Coat linings are to be cut from a separate set of patterns designed specifically to fit the particular style of coat when requested. Linings are not to be cut from coat patterns and then cut down.

absorbing properties with immediate dry component. It will be non-toxic, perspiration resistant, color fast, and non-shrinkable. It is to be fully dry-cleanable and washable. Composition is to be 120 warp x 72 fill and is to meet government specifications. There will be a pleat down the center back in the shoulder area to allow for proper fullness. The lining will be completely sewn around the armhole not just tacked.

G. THREAD

All threading for seams is to be 50/30 cotton wrapped core thread, 70/20 poly wrap core thread

ALL ALL AND ALL ALL ALL ALL ALL ALL ALL ALL ALL AL	
T TO	<u>A</u> re - re-
2000	

A dl	•11	 dt	
A REAL PROPERTY AND A REAL			
1			
(
r			
•			
		 	 _
	1		

shell fabric and facing. When requested nylon zippers will be used and will be YKK quality or

3. BIBBER/JUMPSUIT

Three-print or "higher" gerele trouscore mill be out in a full longth nottern allouring extra fullness at

Con	 1 t	<u>**** 1 **** *</u>		 	<u>C-1</u>	 	falant an a	


3	
	1
	1
	1
	1
	1
, <u> </u>	
Fer	
T	
	1
	_
}	
<u>}</u>	
¥	
¥	
¥	
¥	
<u>*</u>	
¥	
¥	

T TH

c. There are to be three bartacks at the base of the fly for additional reinforcement; two vertical bartacks on the lower front fly interior and one horizontal bartack at the bottom of the lower front fly exterior.

d. The fly zipper is to be SOLID BRASS of Y.K.K. quality. There is to be a #3 hardened brass wire stop at the base of the zipper.


	11	+ 1	1 • 441 - 4 = -	4 * 1	
₩				•	
	<u> </u>				
	Ω				
à à					1
					,
1 1 1 1					
					6
1					
T					
					l
(<u></u>					
<u>t</u>					
,					
					1
					r
-					
-					
, *					
z					i i i i i i i i i i i i i i i i i i i
*					
-					
1 - 1	' 1-07-7_1_0, 0	<u> </u>	<u>'1_1_1: C</u>	<u>ال</u> <u>م</u> لم	
۲					1
·· =					
- 1					



Cover Side Bodies

* One piece standard band fabrics * Computer graded, marked and cut * Double reinforced back seam from top to bottom .75" seam * All seams single needle lock stitch (301 lock stitch) * 0.011" Ht-38 monofilament and Tkt. 70 threads at 5-7 S.P.I. * Sewn construction to attach outer





shell at bottom to cover all attach visor stitching. Sweatband stitching and outer cover stitching * #985 expanded support PVC marshmallow vinyl * Strip cut to 1.75" to finish 1.125" * .375" turn under on bottom edge * All seam single needle lock stitch (301 lock stitch) * 0.011" Ht-38 monofilament or Tkt. 70 thread * Attach bottom band to inner shell 5-7 S.P.I. * Finished edge turn under 8-10 S.P.I. * Attach to inner shell at bottom to cover all attach visor stitching,

* Visor is bound with a 8 ga. 1% metallic polyester film 99% PVC film vinyl edge guard in gold or silver * Sewn with a single needle lock stitch (301 lock stitch) * 0.011" Ht-38 monofilament thread at 5-7 S.P.I. * Cut size 1.125" to finish as .5" binding

Hardware Button

* Two (2) * Metal, lyre, or stipple 45 ligne, prong back shako button, nickel or gilt

Front Chain

* Soft aluminum, gold or silver plated .5" wide shako chain with lanyard spacers

Chin Chain

* 16" w/spacer soft aluminum, gold or silver shako chain * 18" without spacer soft aluminum,

na see a	
Sec.	
	1
f	
all and the	
ne ne pre	
	2
~	
A server and a server and a server a se	
	· · · · · · · · · · · · · · · · · · ·
	د
· · · · · · · · · · · · · · · · · · ·	
A #	







technology in water and mineral based non-toxic dye products, wired mounted on a plume wire * Silver or gold cup with shako wire mount * Plastic plumes, high quality foil and Mylar composite, machine cut, water proof and wrinkle resistant

Standard Plastic-Pak

* Molded, calcium filled polypropylene homopolymer, black minimum normal wall thickness .110" * Two (2) molded replaceable latches, built in hand grip, continuous hinges, 6-added feet for stable standing recessed bottom for stable stacking, inter-locking top and bottom for secure closing. Extra roomy to accommodate all hats plus space for plume

Bag

* Poly shako bag 10" x 8" x 24" x .001"

If no deviations are submitted, the bidder assures the buyer of full compliance with the specifications and conditions, and assures the buyer that samples accompanying bid meet all construction specifications.

If deviations are found on said sample, and not listed, the bidder is to be disqualified!

Company

Signed

Title

Date

Uniform Management System

The band uniform order is to be accompanied by a Uniform Management System program with the following features:

Customer information is available via:

Uniform Management System program - CD or Internet Download

Customer Data - Internet Download

The Uniform Management System will manage student information regarding the assignment of band uniforms and is alterable on a continuing basis as sizing needs change. The program will contain an AUTO-ASSIGN feature which automatically assigns uniform pieces to the students based on their entered measurements. In addition, the student database will include full contact information for student and guardian, and will possess the ability to generate address labels and garment bag identification tags. The system will also produce student uniform rental/usage agreements as per needed. The software will be compatible with Microsoft Windows XP,

Certification of Fabric

This is to confirm that bidder is to use first quality goods. The material supplied is to be $14 \ 1/2$ oz. whipcord, 100% Polyester.

All fabric is purchased directly from the mills, not purchased from jobbers or wholesalers. The manufacturing mill is to stand behind the durability of fabric per handling and care instructions included on care label sewn into each uniform.


Bidder

Donald R. Adamski, President & COO

DeMoulin Brothers & Company -- Lifetime Limited Warranty

Warranty


DeMoulin Brothers & Company ("Seller") does hereby warrant for life to every original purchaser of our product that the following uniform parts are free of defective workmanship or



ξμ	
<u> </u>	
•	*
f=f	
	81 - 1 F

Bib Trousers - Band Quantity: 100

2 · · · · · · · · · · · · · · · · · · ·	
Fabric: RejuviTex Shade: Coal Black	
Lining: Unlined Adjustable Waist: No Suspender Buttons: No Belt Loops: No 4-Way Reinforced Crotch: Yes French Fly: Yes Woven ID Numeral: Yes	
h.	
<u>p</u>	





. . ,

Style: 14" Black Iridescent Millennium Plume

Plumes - Band Quantity: 100 Band Type: Band

Style: 14" Black French Upright plume.

Gloves - Band Quantity: 120 Band Type: Misc

Style: Black LW cotton gloves

Description: Black VIvace Long Wristed cotton gloves.

Garment Bags - Band Quantity: 100 Band Type: Miscellaneous

Style: In stock garment bag

52 N

-	
	w = 0
Quantity	
F	

- 100 Hangers
 - 1 Uniform Management Software Program

Total Bid

Name (Please Print):

Signature:

Purchasing Department 1500 Airport Road Gallatin, TN 37066

COMPANYNAME		
ADDRESS		
TELEPHONE		
EMAIL		
AUTHORIZED COMPANY REPRESENTATIVE		
AUTHORIZED COMPANY REPRESENTATIVE		
DATE		
BIDTITLE	20170220-BOE Band Uniforms	